

STY_3DFOEF_260904_0PX9

Men's Navy Textured Zip Utility Overshirt Jacket

Season: FW26
Vendor: Sample Factory

Size: M (XS - XL) Category: Outerwear Fabric: Textured woven wool-blend or brushed cotton-blend outer shell


REFERENCE IMAGES



Front



Back



POINT OF MEASURE	TOLERANCE	XS	S	M	L	XL
Body Length - HPS (high point shoulder) to bottom hem edge	+1.0	61.0	62.5	64	65.5	67.0
Center Back Length - collar seam to bottom hem edge	+1.0	59.0	60.5	62	63.5	65.0
Chest Width - 2.5cm below armhole, seam to seam	+1.0	54.0	56.0	58	60.0	62.0
Bottom Hem Width - edge to edge at hem band	+1.0	50.0	52.0	54	56.0	58.0
Hem Band Height - top of hem band seam to bottom edge	+0.3	5.0	5.0	5	5.0	5.0
Cross Shoulder Width - shoulder point to shoulder point across back yoke	+0.8	45.6	46.8	48	49.2	50.4
Shoulder Slope Drop - HPS to shoulder point (vertical drop)	+0.5	4.5	4.5	4.5	4.5	4.5
Raglan Sleeve Length - CB neck seam to sleeve cuff edge	+1.0	85.5	86.8	88	89.3	90.5
Sleeve Length - shoulder point to cuff edge	+1.0	62.0	63.0	64	65.0	66.0
Armhole Depth - shoulder point straight to underarm seam	+0.5	24.8	25.4	26	26.6	27.2
Upper Arm Width - 2.5cm below underarm, perpendicular to sleeve fold	+0.5	21.3	21.9	22.5	23.1	23.7
Forearm Width - 15cm above cuff edge	+0.5	15.7	16.1	16.5	16.9	17.3
Cuff Width - cuff opening edge to edge (relaxed)	+0.3	12.9	13.2	13.5	13.8	14.1
Cuff Height - cuff seam to sleeve bottom edge	+0.3	6.0	6.0	6	6.0	6.0
Neck Width - collar seam, HPS to HPS	+0.5	18.2	18.6	19	19.4	19.8

POINT OF MEASURE	TOLERANCE	XS	S	M	L	XL
Front Neck Drop - HPS to top of front zipper at neckline	+0.3	8.1	8.3	8.5	8.7	8.9
Collar Point Height - collar seam to collar point tip	+0.3	8.0	8.0	8	8.0	8.0
Collar Height at Center Back - neck seam to collar top edge	+0.3	7.0	7.0	7	7.0	7.0
Collar Spread - collar point to collar point (flat)	+0.5	15.4	15.7	16	16.3	16.6
Front Zipper Length - top of neckline to bottom hem edge	+0.8	57.0	58.5	60	61.5	63.0
Front Yoke Height - shoulder/neck seam to horizontal yoke seam at CF	+0.5	14.4	14.7	15	15.3	15.6
Chest Pocket Width - flap edge to edge	+0.3	12.9	13.2	13.5	13.8	14.1
Chest Pocket Height - top of flap to pocket bottom edge	+0.3	14.9	15.2	15.5	15.8	16.1
Chest Pocket Flap Height - flap top seam to flap bottom edge	+0.3	6.0	6.0	6	6.0	6.0
Chest Pocket Placement from CF Zipper - zipper edge to inner pocket edge	+0.3	5.4	5.7	6	6.3	6.6
Chest Pocket Placement from HPS - HPS vertically to top of pocket flap	+0.5	15.9	16.2	16.5	16.8	17.1
Welt Pocket Opening Length - top to bottom of angled welt	+0.3	14.6	14.8	15	15.2	15.4
Welt Pocket Placement from Hem - bottom of welt to top of hem band	+0.5	6.6	6.8	7	7.2	7.4
Back Neck Width - collar seam edge to edge on back view	+0.5	18.7	19.1	19.5	19.9	20.3
Back Yoke Depth at CB - collar seam to raglan seam intersection at CB	+0.5	12.6	12.8	13	13.2	13.4

Sample Size: M (highlighted) · cm



Outer shell fabric

[All exterior panels, collar, sleeves, pocket flaps and patch pockets](#)

Midweight textured woven outer shell, approx. 320-360 GSM, tonal navy, soft brushed hand, suitable for structured overshirt jacket



Inner body facing / partial lining fabric

[Front interior facing and visible inside body panel](#)

Lightweight woven fabric, approx. 95-120 GSM, tonal dark navy, smooth finish



Sleeve/hem reinforcement fusible

[Front placket, collar, pocket flaps, hem facing areas](#)

Lightweight woven fusible interfacing, black or charcoal, soft support



Center front zipper

[Center front closure](#)

Exposed molded or metal-hook zipper, dark gunmetal teeth with navy tape, separating, approx. 60-65 cm



Pocket flap buttons

[Chest pocket flap closures](#)

Flat sew-through buttons, matte dark grey/black, 4-hole, approx. 18L-20L



Interior snap fasteners

[Visible inner placket / internal layer closure](#)

Hidden metal spring snaps, matte gunmetal, medium duty



Sewing thread

[All major seams and visible topstitching](#)

Core-spun polyester thread, tex 27-40, tonal navy for assembly and topstitching



Care/content label

[Inside side seam or interior body seam](#)

Printed satin care label, white base with black print

STY_3DFOEF_260904_0PX9

Men's Navy Textured Zip Utility Overshirt Jacket

Season: FW26

Vendor: Sample Factory

Size: M (XS - XL)

Category: Outerwear

Fabric: Textured woven wool-blend or brushed cotton-blend outer shell

MATERIALS (CONTINUED)

v0

Page 6 of 14

2026-09-04

Adstronaut AI

Email: info@adstronaut.biz



Main brand label

[Inside back neck](#)

Woven brand label, tonal or contrast, soft hand



Hang loop tape

[Inside back neck seam](#)

Self-fabric or herringbone tape loop, navy



Pocket bag reinforcement fabric

[Behind patch pocket attachment zones / internal support](#)

Lightweight woven reinforcement, navy, stable plain weave



Polybag packaging

[Final packing](#)

Clear recycled polybag with size sticker and suffocation warning


STY_3DFOEF_260904_0PX9

Men's Navy Textured Zip Utility Overshirt Jacket

Season: FW26
Vendor: Sample Factory

MATERIALS CALLOUT

Size: M (XS - XL) Category: Outerwear Fabric: Textured woven wool-blend or brushed cotton-blend outer shell





STY_3DFOEF_260904_0PX9
Men's Navy Textured Zip Utility Overshirt Jacket
Season: FW26
Vendor: Sample Factory

Size: M (XS - XL) Category: Outerwear Fabric: Textured woven wool-blend or brushed cotton-blend outer shell

BILL OF MATERIALS

v0
Page 8 of 14
2026-09-04
Adstronaut AI
Email: info@adstronaut.biz

#	ITEM NAME	DESCRIPTION	PLACEMENT	QTY	UNIT
1	Outer shell fabric	Midweight textured woven outer shell, approx. 320-360 GSM, tonal navy, soft brushed hand, suitable for structured overshirt jacket	All exterior panels, collar, sleeves, pocket flaps and patch pockets	1.85	m
2	Inner body facing / partial lining fabric	Lightweight woven fabric, approx. 95-120 GSM, tonal dark navy, smooth finish	Front interior facing and visible inside body panel	0.75	m
3	Sleeve/hem reinforcement fusible	Lightweight woven fusible interfacing, black or charcoal, soft support	Front placket, collar, pocket flaps, hem facing areas	0.45	m
4	Center front zipper	Exposed molded or metal-hook zipper, dark gunmetal teeth with navy tape, separating, approx. 60-65 cm	Center front closure	1	pc
5	Pocket flap buttons	Flat sew-through buttons, matte dark grey/black, 4-hole, approx. 18L-20L	Chest pocket flap closures	2	pc
6	Interior snap fasteners	Hidden metal spring snaps, matte gunmetal, medium duty	Visible inner placket / internal layer closure	3	pc
7	Sewing thread	Core-spun polyester thread, tex 27-40, tonal navy for assembly and topstitching	All major seams and visible topstitching	220	m
8	Care/content label	Printed satin care label, white base with black print	Inside side seam or interior body seam	1	pc
9	Main brand label	Woven brand label, tonal or contrast, soft hand	Inside back neck	1	pc
10	Hang loop tape	Self-fabric or herringbone tape loop, navy	Inside back neck seam	1	pc
11	Pocket bag reinforcement fabric	Lightweight woven reinforcement, navy, stable plain weave	Behind patch pocket attachment zones / internal support	0.2	m
12	Polybag packaging	Clear recycled polybag with size sticker and suffocation warning	Final packing	1	pc

Collar:
1-pc collar clean

Interior Facing:
Faced int panel


Chest Pocket:
Patch pkt + flap

Center Front:
Sep zip edge TS

Sleeve Hem:
Turn hem SN TS

Bottom Hem:
Clean hem TS

Side Seam:
5T OL SA 1cm



STY_3DFOEF_260904_0PX9

Men's Navy Textured Zip Utility Overshirt Jacket

Season: FW26

Vendor: Sample Factory

Size: M (XS - XL)

Category: Outerwear

Fabric: Textured woven wool-blend or brushed cotton-blend outer shell

COLORWAYS & PANTONE

v0

Page 10 of 14

2026-09-04

Adstronaut AI

Email: info@adstronaut.biz



Pantone Color Palette



Main outer shell body, sleeves, collar, pocket flaps

19-3921 TCX

#1C2F4A



Inner facing / visible interior layer

19-4010 TCX

#233B57



Buttons, zipper tape, hardware finish

19-4005 TCX

#2A2F36

1. CENTER FRONT ZIPPER DETAIL

SEPARATING ZIPPER INSERTION

Zipper inserted between shell edges and inner facing.

EDGE TOPSTITCH DISTANCE

1/4" (6mm) from edge

BOTTOM STOP FINISH

Zipper bottom stop positioned 3/8" (10mm) above hem edge.



2. CHEST POCKET AND FLAP DETAIL

TOPSTITCH WIDTH

1/4" (6mm)

ATTACHMENT METHOD

Flap attached at side seams only. Bar tacks at top corners.

PATCH POCKET

Pocket attached with 1/4" (6mm) topstitch around sides and bottom. Rounded bottom corners.



FLAP PROPORTION



BUTTON PLACEMENT

Centered horizontally. Button placed 5/8" (16mm) above flap edge.



POCKET SHAPE



3. COLLAR AND NECKLINE DETAIL

ONE-PIECE COLLAR

Collar cut as one piece with stand and collar.

NECKLINE JOIN

Collar joined to body at neckline with 1/2" (13mm) seam allowance.

SEAM TURN

Seam turned toward collar and topstitched.

TOPSTITCH EXECUTION

1/4" (6mm) topstitch along outer edge of collar and neckline for clean roll and opening shape.



4. INTERIOR FACING PANEL DETAIL

FACING PANEL

Smooth woven facing panel extends along center front.

SNAP PLACEMENT

Snaps set on facing aligned with shell snap positions.

INTERNAL ZIP POCKET WELT POCKET

Clean self-fabric welt opening. Zipper pocket bag securely bar tacked at top and bottom.



Garment Information


Type: Zip-front utility overshirt jacket

Silhouette: Boxy relaxed straight body with slightly dropped shoulder

Construction: Cut-and-sew woven outerwear with front zipper, patch chest pockets, and partial interior facing

Construction & Trim Details

#	SECTION	DETAIL TYPE	DESCRIPTION
1	Center Front	Closure	Full center front separating zipper applied to front edges with narrow visible turn-under and edge topstitching
2	Chest	Pocket Construction	Two lower-entry patch chest pockets with separate flap closures; flap edges turned and topstitched, buttons sewn through pocket flap/button stand alignment
3	Collar	Collar Assembly	One-piece shirt-style collar with fused upper collar and clean turned outer edge
4	Hem	Hem Finish	Straight hem with clean folded finish and visible horizontal hem seam/topstitch line; front corner slightly shaped by zipper termination
5	Sleeves	Sleeve Join	Set-in long sleeves with plain hem finish; moderate ease at sleeve cap
6	Interior	Facing / Secondary Layer	Partial interior front facing or layered inner panel in smooth woven fabric with visible snap closure and horizontal zip pocket



STY_3DFOEF_260904_0PX9

Men's Navy Textured Zip Utility Overshirt Jacket

Season: FW26
Vendor: Sample Factory

SEWING INSTRUCTIONS

Size: M (XS - XL) Category: Outerwear Fabric: Textured woven wool-blend or brushed cotton-blend outer shell

Sewing Instructions

1. Fuse collar, front placket, pocket flaps, and designated reinforcement areas before assembly.
2. Prepare chest patch pockets and flaps: turn edges, topstitch, attach flaps, then sew patch pockets to front body using single-needle edge stitch.
3. Assemble shoulder seams and attach collar between neckline layers; understitch and topstitch collar edge as required.
4. Set separating zipper into center front openings with balanced left/right alignment and clean bottom stop finish.
5. Close side seams and set-in sleeves; sew underarm and sleeve inseams with 5-thread overlock, then press toward sleeve.
6. Assemble interior facing/partial lining panel including visible snap closure components and internal zip pocket, then secure to front opening and hem zones.
7. Turn and finish sleeve hems and bottom hem; edge topstitch for stability and clean appearance.
8. Apply buttons, labels, final pressing, and quality check zipper run, pocket symmetry, and hem balance.

