

ADSTRONAUT AI

Maxi Slip Dress

REFERENCE TECH PACK

Generate a custom one for your own garment:

adstronaut.net/tech-pack-generator

Generated with Adstronaut AI - Free to share

STY_3DMR8U_260516_NFZR

Women's Rib Jersey Square-Neck Maxi Slip Dress

Season: SS26

Vendor: Sample Factory

REFERENCE IMAGES

Size: 6 (2 - 12)

Category: Dresses

Fabric: Fine rib knit jersey

v0

Page 1 of 13

2026-05-16


Adstronaut AI

Email: info@adstronaut.biz



Generate your own tech pack at <https://www.adstronaut.net/tech-pack-generator>

GARMENT SPECIFICATION: FITTED CORD MAXI DRESS



STY_3DMR8U_260516_NFZR**Women's Rib Jersey Square-Neck Maxi Slip Dress**

Season: SS26

Vendor: Sample Factory

SIZE GRADING CHART

Size: 6 (2 - 12)

Category: Dresses

Fabric: Fine rib knit jersey

v0

Page 3 of 13

2026-05-16

Adstronaut AI

Email: info@adstronaut.biz

POINT OF MEASURE	TOLERANCE	2	4	6	8	10	12
Front Body Length (HPS to hem, excluding strap)	±1.0	118.4	119.2	120	120.8	121.6	122.4
Back Body Length (CB neckline to hem, excluding strap)	±1.0	112.4	113.2	114	114.8	115.6	116.4
Chest Width (1"/2.5 cm below armhole)	±0.8	36.0	37.0	38	39.0	40.3	41.6
Waist Width	±0.8	30.0	31.0	32	33.0	34.3	35.6
High Hip Width (10 cm below waist)	±0.8	35.0	36.0	37	38.0	39.3	40.6
Low Hip Width (20 cm below waist)	±0.8	40.0	41.0	42	43.0	44.3	45.6
Bottom Opening Width	±0.8	41.0	42.0	43	44.0	45.0	46.0
Across Front at Neckline (straight)	±0.5	27.0	27.5	28	28.5	29.0	29.5
Across Back at Neckline (straight)	±0.5	28.0	28.5	29	29.5	30.0	30.5
Front Neck Drop (from HPS)	±0.5	13.4	13.7	14	14.3	14.6	14.9
Back Neck Drop (from HPS)	±0.5	11.9	12.2	12.5	12.8	13.1	13.4
Strap Length (total)	±0.5	30.0	30.5	31	31.5	32.0	32.5
Strap Width	±0.2	0.8	0.8	0.8	0.8	0.8	0.8
Distance Between Front Straps (inside edge to inside edge)	±0.5	18.2	18.6	19	19.4	19.8	20.2
Distance Between Back Straps (inside edge to inside edge)	±0.5	19.2	19.6	20	20.4	20.8	21.2

Sample Size: 6 (highlighted) · cm · Continued on next page

STY_3DMR8U_260516_NFZR

Women's Rib Jersey Square-Neck Maxi Slip Dress

Season: SS26

Vendor: Sample Factory

SIZE GRADING CHART (CONTINUED)

Size: 6 (2 - 12)

Category: Dresses

Fabric: Fine rib knit jersey

v0

Page 4 of 13

2026-05-16

Adstronaut AI

Email: info@adstronaut.biz

POINT OF MEASURE	TOLERANCE	2	4	6	8	10	12
Armhole Depth (straight)	±0.5	17.7	18.1	18.5	18.9	19.3	19.7
Side Seam Length (underarm to hem)	±1.0	106.4	107.2	108	108.8	109.6	110.4
Waist to Hip Length	±0.5	19.4	19.7	20	20.3	20.6	20.9
Hem Height	±0.3	3.0	3.0	3	3.0	3.0	3.0
Sweep to Hip Position Length (waist to bottom opening)	±1.0	84.8	85.4	86	86.6	87.2	87.8

Sample Size: 6 (highlighted) - cm

STY_3DMR8U_260516_NFZR

Women's Rib Jersey Square-Neck Maxi Slip Dress

Season: SS26

Vendor: Sample Factory

MATERIALS

Size: 6 (2 - 12)

Category: Dresses

Fabric: Fine rib knit jersey

v0

Page 5 of 13

2026-05-16

Adstronaut AI

Email: info@adstronaut.biz



Main shell fabric

Body front, body back, and skirt

Fine gauge rib knit jersey, approx. 220 GSM, soft handfeel, light stretch, dyed to PANTONE 705 C



Self fabric strap panels

Shoulder straps

Self shell rib jersey cut on lengthwise direction for narrow straps, tonal PANTONE 705 C



Neckline and armhole binding

Front neckline, back neckline, armholes

Self fabric binding strip, fine rib jersey, clean finish, tonal PANTONE 705 C



Clear elastic tape

Inside neckline edge, back edge, and strap attachment stabilization

Transparent polyurethane elastic, 6 mm width, soft recovery grade



Stretch sewing thread

All seams and hems

100% polyester core-spun thread, Tex 27, tonal match to PANTONE 705 C



Twin-needle coverstitch thread

Bottom hem and optional neckline/strap top finish

Polyester texturized thread for hem coverstitch, tonal PANTONE 705 C



Size label

Inner back neckline

Damask woven size label, soft edge, white ground with black size print



Main brand label

Inner back neckline

Satin or damask woven brand label, soft finish

Generate your own tech pack at <https://www.adstronaut.net/tech-pack-generator>

STY_3DMR8U_260516_NFZR

Women's Rib Jersey Square-Neck Maxi Slip Dress

Season: SS26

Vendor: Sample Factory

MATERIALS (CONTINUED)

Size: 6 (2 - 12)

Category: Dresses

Fabric: Fine rib knit jersey

v0

Page 6 of 13

2026-05-16

Adstronaut AI

Email: info@adstronaut.biz



Care and content label

[Left side seam interior](#)

Printed satin care label with fiber content and laundering instructions



Shoulder seam reinforcement tape

[Strap join and neckline stress points](#)

Soft jersey seam tape or clear stay tape, 6 mm width



Hangtag

[Retail packaging](#)

Paper hangtag with string fastener



Polybag

[Final packaging](#)

Clear recycled PE polybag with size sticker

STY_3DMR8U_260516_NFZR

Women's Rib Jersey Square-Neck Maxi Slip Dress

Season: SS26

Vendor: Sample Factory

MATERIALS CALLOUT

Size: 6 (2 - 12)

Category: Dresses

Fabric: Fine rib knit jersey


v0

Page 7 of 13

2026-05-16

Adstronaut AI

Email: info@adstronaut.biz



Generate your own tech pack at <https://www.adstronaut.net/tech-pack-generator>

STY_3DMR8U_260516_NFZR**Women's Rib Jersey Square-Neck Maxi Slip Dress**

Season: SS26

Vendor: Sample Factory

BILL OF MATERIALS

Size: 6 (2 - 12)

Category: Dresses

Fabric: Fine rib knit jersey

v0

Page 8 of 13


2026-05-16

Adstronaut AI

Email: info@adstronaut.biz

#	ITEM NAME	DESCRIPTION	PLACEMENT	QTY	UNIT
1	Main shell fabric	Fine gauge rib knit jersey, approx. 220 GSM, soft handfeel, light stretch, dyed to PANTONE 705 C	Body front, body back, and skirt	2.1	m
2	Self fabric strap panels	Self shell rib jersey cut on lengthwise direction for narrow straps, tonal PANTONE 705 C	Shoulder straps	0.18	m
3	Neckline and armhole binding	Self fabric binding strip, fine rib jersey, clean finish, tonal PANTONE 705 C	Front neckline, back neckline, armholes	1.2	m
4	Clear elastic tape	Transparent polyurethane elastic, 6 mm width, soft recovery grade	Inside neckline edge, back edge, and strap attachment stabilization	1.1	m
5	Stretch sewing thread	100% polyester core-spun thread, Tex 27, tonal match to PANTONE 705 C	All seams and hems	110	m
6	Twin-needle coverstitch thread	Polyester texturized thread for hem coverstitch, tonal PANTONE 705 C	Bottom hem and optional neckline/strap top finish	18	m
7	Size label	Damask woven size label, soft edge, white ground with black size print	Inner back neckline	1	pc
8	Main brand label	Satin or damask woven brand label, soft finish	Inner back neckline	1	pc
9	Care and content label	Printed satin care label with fiber content and laundering instructions	Left side seam interior	1	pc
10	Shoulder seam reinforcement tape	Soft jersey seam tape or clear stay tape, 6 mm width	Strap join and neckline stress points	0.25	m
11	Hangtag	Paper hangtag with string fastener	Retail packaging	1	pc
12	Polybag	Clear recycled PE polybag with size sticker	Final packaging	1	pc

CONSTRUCTION DETAIL SPECIFICATIONS



STY_3DMR8U_260516_NFZR

Women's Rib Jersey Square-Neck Maxi Slip Dress

Season: SS26

Vendor: Sample Factory

COLORWAYS & PANTONE

Size: 6 (2 - 12)

Category: Dresses

Fabric: Fine rib knit jersey


v0

Page 10 of 13

2026-05-16

Adstronaut AI

Email: info@adstronaut.biz



Pantone Color Palette



Main body and straps

PANTONE 705 C

#F5D0D6



Thread and binding tonal match

PANTONE 705 C


#F5D0D6

RIBBED MAXI DRESS – CONSTRUCTION DETAILS

1 NECKLINE AND STRAP DETAIL (FRONT)




BINDING
12 mm (1/2")




CLEAR ELASTIC STABILIZATION

10 mm (3/8")
clear elastic
applied to inside
front neckline
edge to prevent
stretch out.




STRAP INSERTION (FRONT)

Strap inserted between
binding and body at
front neckline.
Strap is turned in
1/2" (12mm) and
stitched securely.




- 1 BINDING (12mm)
- 2 CLEAR ELASTIC (10mm)

2 BACK STRAP ATTACHMENT DETAIL




REAR STRAP PLACEMENT

Strap is inserted between
binding and body at back.
Positioned 18–22mm (3/4"–7/8")
in from side seam for balance
and coverage.



SEAM REINFORCEMENT

Strap insertion is bartacked
horizontally through all layers
(binding, strap, body) for
strength.



BINDING FINISH

Binding is turned to
inside and coverstitched
or twin-needle stitched
to body to control
neckline growth.


- 1 STRAP INSERTION POINT
- 2 BINDING (12mm)

3 SIDE SEAM CONSTRUCTION




SEAM TYPE

4-thread overlock
(2 needles, 2 loopers)
for strength and
durability on rib
jersey.




SEAM ALLOWANCE

6 mm (1/4")
finished width




LABEL INSERTION

Main label inserted into
left side seam,
positioned 18–22cm
(7"–8 5/8") up from
bottom hem.




- 1 SIDE SEAM (4-THREAD OVERLOCK)
- 2 LABEL POSITION (LEFT SIDE)

4 BOTTOM HEM DETAIL




HEM TURN-UP

Narrow turn-up
10 mm (3/8")
to keep hem
lightweight and
flat on rib jersey.



FINISH

Twin-needle
coverstitch
(2 needles,
3 loopers)
for a flat, flexible
hem with good
stretch recovery.



THREAD

Use stretch thread in needles and loopers
(e.g., 100% polyester textured) to maintain
seam elasticity.

FABRIC: RIB JERSEY WITH GOOD STRETCH AND RECOVERY | THREAD: 100% POLYESTER STRETCH | NEEDLE: BALLPOINT/STRETCH | SEAM ALLOWANCE: 6mm (1/4") UNLESS NOTED

Garment Information

Type: Maxi camisole dress

Silhouette: Full-length column silhouette with body-skimming fit


Construction: Cut-and-sew stretch knit dress with self binding and narrow straps

Construction & Trim Details

#	SECTION	DETAIL TYPE	DESCRIPTION
1	Neckline	Bound edge	Straight square neckline finished with narrow self-fabric binding; clean edge with concealed clear elastic for recovery
2	Straps	Turned strap	Narrow self-fabric straps, clean finished and securely inserted into front and back neckline seams
3	Body	Vertical shaping	Close body fit achieved through stretch rib jersey with side seam shaping rather than darts
4	Side seams	Stretch seam assembly	Side seams joined with 4-thread overlock and stabilized to maintain long vertical drape
5	Hem	Coverstitched hem	Bottom opening finished with narrow turned hem and twin-needle coverstitch for stretch retention
6	Interior finishing	Label application	Main label at inside back neckline and care label caught into left side seam

Sewing Instructions

1. Join front and back body panels at side seams using 4-thread overlock, maintaining balanced stretch differential to avoid waviness.
2. Prepare narrow self-fabric straps by folding/turning and edge-finishing; press lightly without overstretching.
3. Apply clear elastic to neckline and back edge within self-binding during binding attachment.
4. Insert straps evenly at front and back neckline positions, confirming strap length symmetry before final topstitching.
5. Bind front neckline, back neckline, and armholes with self-fabric binding using stretch-compatible lockstitch/cover finish.
6. Secure neckline and strap stress points with bartack or short reinforcement stitch at strap insertion points.
7. Attach main label at inside back neckline and set care label into left side seam.
8. Turn bottom hem to narrow depth and finish with twin-needle coverstitch; steam and relax hem to eliminate tunneling.



STY_3DMR8U_260516_NFZR
Women's Rib Jersey Square-Neck Maxi Slip Dress
Season: SS26
Vendor: Sample Factory

FIT LOG & REVISION HISTORY

Size: 6 (2 - 12) Category: Dresses Fabric: Fine rib knit jersey

v0

Page 14 of 13
2026-05-16
Adstronaut AI
Email: info@adstronaut.biz

NOTES	DATE
Tech Pack v0 Generated <i>(locked)</i>	2026-05-16

ADSTRONAUT AI

ADSTRONAUT AI

AI tools for fashion production

- Tech pack generation from a single garment photo
 - AI product photoshoots
 - Design variations and colorways
- Garment recoloring and fabric swap
 - Product view generation

adstronaut.net

Free to share. Built for makers.